

0 0, .
, :
.
.
.
.
.
.
.
.
.
.
.

URL-

<https://signer.cipher.kiev.ua/api/v1/ticket/{uuid}/option>

PUT

uuid	String	
------	--------	--

Content-Type	application/json
--------------	------------------

JSON '

'			
asicForm	String	Associated Signature Container	* NONE - Associated Signature Container ASIC_S - () ASIC_E - ()
signatureType	String		attached - , * detached - ,  , asicForm "NONE".
embedSignatureTs	String		true - * false -  : 1. cadesType "UNDEFINED". 2. XAdES.
embedDataTs	String		true - * false -  XAdES.

embedCertificateType	String		signerCert - signerAndCaCert - signerCertAndCaInfo - () * nothing -  : 1. cadesType "CADES_X_LONG" 2. XAdES.
signatureTsVerifyOption	String		* ignore - verifyIfPresent - , verifyOrFailIfNotPresent - ,  XAdES.
dataTsVerifyOption	String		* ignore - verifyIfPresent - , verifyOrFailIfNotPresent - ,  XAdES.
dataToSignQualifier	String	,	* notSignedBefore - alreadySigned - ,  XAdES.
duplicateSign	String		true - , * false - ,  XAdES.
caDesType	String	CAdES	UNDEFINED - cadesType NONE - CAdES CADES_BES - CADES_T - , *CADES_X_LONG - ,
xAdESType	String	XAdES	* NONE - XAdES XADES_B_B - XADES_B_T - , XADES_B_LT - , XADES_B_LTA - () .  , cadesType "NONE".
nokkCompatible	String	,	true - , ASN.1 OCTET STRING * false -  XAdES.

	Content-type	
--	--------------	--

200	application/json	message settedOptions : { signatureType, signatureTsVerifyOption, dataTsVerifyOption, embedSignatureTs, embedDataTs, embedCertificateType, dataToSignQualifier, duplicateSign }	{ "message": " ", "settedOptions": { "signatureTsVerifyOption": "IGNORE", "embedSignatureTs": "false", "embedCertificateType": "NOTHING", "signatureType": "DETACHED", "dataTsVerifyOption": "IGNORE", "embedDataTs": "false", "dataToSignQualifier": "ALREADY_SIGNED", "duplicateSign": "true" } }
503	application/json	message	{ "message" : " ". }
400	application/json	message	{ "message" : " ". }

JSON

message	String	
settedOptions	Object	,